




**Putzmeister**



# Stationary distributor boom SV 18-3 R

Flexible to use and easy to operate

# The flexible professional for more reach and application possibilities



## Details that make the big difference

The innovative, flexible, hydraulically operated 3-arm rotary distributor for extending the reach of the truck-mounted concrete pump.

It can simply be lifted onto the ceiling by crane, where it extends the reach by a further 18 m. The rotary distributor is controlled by an easy-to-operate radio remote control.

It can be set up on the construction site or in the precast plant either directly on its support legs and supplied via a stationary concrete pump.

Alternatively, it fits on both Putzmeister pipe columns (RS 751 and RS 850 with adapter). The durable two-layer delivery line guarantees low wear.



## For machine operators

- Position independent easy set-up
- Emergency hydraulic hand pump
- Simple switch and button control
- Reduced daily maintenance
- Radio remote control standard

## For service staff

- Improved access to interior components and all services areas
- Riser pipe easily accessible
- Delivery line standard components only
- Worldwide standardized parts
- Known suppliers for components
- Worldwide standardized control

## For owners

- CE certified
- Engineered/Made by Putzmeister
- Maximum variability with options and components
- Maximum hard ware durability
- Proline 2000 delivery line
- Ready for use on column system
- Direct fit upgrading options to expand applications

## Technical data

Sections	3
Reach height approx.	20.2 m
Horizontal reach	18.1* m
Reach depth	12.5 m
Unfolding height	5.9 m
Delivery line	DN 125
Slewing range	endless
Total weight	4.23 t
Heaviest part	1.42 t

\* center of slewing gear till end of boom

All data max. theor.  
Dimensions can differ depending on configuration.

**FLEXIBLE APPLICATION  
INTUITIVE OPERATION  
FREE-STANDING OR  
ON TUBULAR COLUMN  
RADIO REMOTE CONTROL**

**PUTZMEISTER  
PERFORMANCE**



## Benefits at a glance

- Simple 3D deck/column concreting with 18 m reach (= 1020 m<sup>2</sup>)
- From pre-cast plants, indoor / under roof application to high-rise
- Interface/adaptor for RS751/850 column system
- Proportional radio remote control as standard
- Intuitive and simple operation
- Engineered and Made by Putzmeister
- Endless boom rotation for full flexible site set-up
- 16A plug and soft start E-motor for smooth start-up
- Highest possible parts availability with Putzmeister modular system
- Full flexibility by matching to all Putzmeister column systems or to foldable support legs

# Stationary placing boom SV 18-3 R – Extremely flexible in use

## The SV 18-3 R expands your application radius

- Precast plants
- Structural engineering
- Civil engineering
- Hall concreting
- etc.



**Putzmeister Concrete Pumps GmbH**  
Max-Eyth-Straße 10 · 72631 Aichtal / Germany  
P.O.Box 2152 · 72629 Aichtal / Germany  
Tel. +49 (7127) 599-0 · Fax +49 (7127) 599-520  
pmw@putzmeister.com · www.putzmeister.com

 **Putzmeister**